Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
299-W10-1[a]	15,500	9.2	<0.077	<0.087	8,990	<125	307.4	8.02	548	16.9	33.9	<0.084
299-W10-14	9,810	<1	<2	<1	4,290	<131	286.8	8.07	351	20.2	1.67	<1
299-W10-27	35,500	27	<1	<1	11,600	<131	416.8	8.12	1,913	22.4	6.45	<1
299-W10-30	20,300	<1	<2	<1	10,350	<131	379.5	8.01	476	20.2	2.91	<1
299-W10-31	36,600	1.1	<2	<1	9,610	<131	261.8	7.95	676	18.6	4.58	<1
299-W10-33	6,920	<1	<1	<1	10	<242	30.6	8	343	20	0.59	<1
299-W10-4[a]	74,600	9	<1	<1	7,220	624	352.3	7.21	8,703	18.8	39.6	<1
299-W11-13	60,700	18	<2	<1	13,350	<131	325	7.81	778	18.8	47.2	<1
299-W11-18	8,940	3.9	<2	<1	5,990	<131	189	8.15	523	18.2	1,000	<1
299-W11-33Q	43,500	8.9	<2	<1	8,880	<131	63.9	7.31	830	17.8	5.32	<1
299-W11-37[a]	27,900	2.3	<0.077	<0.087	10,200	<125	368.3	7.95	400	16	210	<0.084
299-W11-43	17,500	4.7	<2	<1	9,160	<133	412.8	7.46	1,216	19.8	5.28	<1
299-W11-45[b]	23,700	12	<0.077	<0.087	7,440	404	145.9	7.67	1,154	19.4	3.36	<0.084
299-W11-47	26,400	8	<2	<1	9,710	<131	330.1	7.89	1,515	19.8	4.9	<1
299-W11-48	18,200	11	<2	<1	8,590	<131	138.4	7.89	925	18.9	0.17	<1
299-W11-87	51,900	7.3	<2	<1	9,910	<125	410.6	7.84	618	20.1	0.2	<1
299-W11-88	7,340	<1	<2	<1	2,960	<125	321	7.87	397	20.3	2.19	<1

Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
299-W12-1[a]	29,400	<1	<0.077	<0.087	11,900	<125	205.6	8.7	448	15.6	29.3	<0.084
299-W13-1	26,100	3.6	<2	<1	10,710	<125	268.2	7.83	512	19.6	1.1	<1
299-W14-11	31,300	9.6	<2	<1	9,770	<131	421.6	7.63	761	22	1.67	<1
299-W14-13	46,000	3.4	<2	<1	8,960	<131	392.8	7.8	881	29	13.7	<1
299-W14-14	30,900	7.2	<2	<1	9,190	<131	358.5	8.08	729	20.8	2.85	<1
299-W14-71	34,000	8.1	<2	<1	9,010	<131	97	7.78	422	18.9	4.22	<1
299-W14-72	23,100	9.5	<2	<1	7,730	<131	203.2	7.75	390	18.5	3.03	<1
299-W15-11	14,400	1.5	<2	<1	8,550	<131	212.1	7.93	478	19	11.44	<1
299-W15-152	15,300	<1	<0.08	<0.09	8,890	<125	88.8	7.83	552	21.7	0.52	<1
299-W15-17	10,200	<0.49	<0.08	<0.09	7,250	173	96.1	8.01	371	19.2	1.49	<1
299-W15-33	15,200	<1	<2	<1	7,850	<125	159	8.14	506	19.5	1.96	<1
299-W15-37	10,800	4.8	<0.077	<1	6,310	<125	146.4	8.42	378	20.1	1.74	<1
299-W15-42[a]	29,300	4.2	<0.077	<0.087	8,670	473	358	7.83	625	21.4	0.25	<0.084
299-W15-46	14,400	2.1	<2	<1	8,800	<125	322	7.75	495	20.2	1.34	<1
299-W15-49	14,900	1.1	<2	<1	8,600	<131	188	7.92	504	19.4	0.76	<1
299-W15-50	22,000	8.1	<2	<1	8,770	<131	341.8	7.79	554	19.6	0.97	<1
299-W15-7	28,000	14	<2	<1	720	11600	296.6	8.4	444	21.1	13.2	<1

Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
299-W15-763	29,100	8.2	<2	<1	12,470	<131	447	7.99	1,195	23.3	4.35	<1
299-W15-765	17,200	10	<2	<1	9,300	<131	453.2	7.81	738	19.8	4.49	<1
299-W15-83	14,700	<0.29	<0.077	<0.087	8,640	<125	386.4	7.9	552	21.5	0.93	<1
299-W15-94	15,100	<0.4	<0.077	<0.087	9,320	342	295.5	7.82	539	20.3	1.05	<1
299-W18-1	15,000	<1	<1	<1	7,690	<125	312.7	8.07	569	19.5	487	<1
299-W18-15	9,720	1.6	<1	<1	5,640	<125	314.4	8.47	312	16.2	3.32	<1
299-W18-16	17,600	2.6	<2	<1	15,560	<131	248	7.67	1,788	20	6.33	<1
299-W18-21	34,600	<1	<1	<1	6,530	<131	177	7.98	547	18.1	4.43	<1
299-W18-22	15,100	<1	<0.08	<1	7,510	172	310.6	8.02	385	19	1.73	<1
299-W18-40	11,400	4.7	<2	<1	11,710	<131	248.4	7.89	390	19.8	3.41	<1
299-W19-105	4,660	<1	<1	<1	9,380	202	337.4	7.93	318	20.4	1.85	<1
299-W19-107	23,900	3.6	<2	<1	8,690	<131	345.6	7.81	688	20	1.23	<1
299-W19-18	14,900	1.2	<1	<1	2,690	<125	315.5	9.35	246	11.8	8.7	<1
299-W19-34A	17,500	7.4	<2	<1	9,140	<131	230.4	7.84	405	28.1	16.8	<1
299-W19-34B	9,040	9	<2	<1	6,460	<131	270.4	7.72	368	20.1	0.68	<1
299-W19-36	13,700	5.1	<2	<1	2,880	<131	283	8.65	1,006	20.2	2.81	<1
299-W19-4	32,300	2.1	<0.077	<1	7,340	<131	206	8.02	474	19.4	29.3	<1

Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
299-W19-41	36,500	3.8	<2	<1	9,270	<131	377.2	8.45	447	17.2	2.68	<1
299-W19-47	11,600	8.1	<0.08	<0.09	8,210	<131	86.8	7.84	370	19.2	2.78	<1
299-W19-48	9,660	2.8	<1	<1	9,070	175	354.7	7.82	561	20.6	1.12	<1
299-W19-49	11,600	2.7	<1	<1	9,220	213	313	7.88	488	20.9	2.13	<1
299-W19-6[a]	6,440	3.3	<0.077	<0.087	1,990	288	347.3	7.97	294	18.8	7.13	<0.084
299-W21-2	11,500	1.5	<2	<1	7,730	198	344.7	7.82	420	23.6	4.75	<1
299-W22-47	6,550	2.62	<0.3	<0.3	8,560	207	302.1	8.07	316	19	2.69	0.3
299-W22-72	7,480	2.2	<2	<1	7,350	<131	270.4	7.73	322	23.3	3.69	<1
299-W22-86	6,310	1.8	<2	<1	8,440	<131	378.5	7.98	353	20.3	4.01	<1
299-W22-87	2,810	<1	<2	<1	8,970	182	306.3	7.94	230	19.3	1.5	<1
299-W22-88	8,310	2	<2	<1	8,020	194	107.2	7.88	344	20.5	2.09	<1
299-W23-19	17,600	1.9	<2	<1	8,380	<131	346.8	7.79	1,138	20.5	4.47	<1
299-W23-4	7,140	2.3	<1	<1	8,600	<125	352.1	8.02	328	16.9	10.6	<1
299-W26-13	6,510	<1	<0.077	<1	8,970	<131	371.2	7.94	306	18.8	3.19	<1
299-W27-2	19,100	<1	<2	<1	6,590	<125	299.6	7.73	357	18	9.12	<1
299-W6-3	6,340	<1	<2	<1	2,130	<131	219.3	7.99	409	16.3	2.16	<1
299-W6-6	5,420	<0.12	<0.077	<0.087	19,980	420	220.6	7.82	652	9.1	6.94	<1

Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
299-W7-3	4,770	<0.68	<0.077	<0.087	7,270	215	208.8	8.3	311	17.6	4.76	<1
699-30-66	9,270	2.2	<2	<1	6,690	<131	190.8	7.8	405	20.5	1.19	<1
699-32-62	8,830	1.9	<2	<1	7,220	<125	242.1	8.05	360	17.9	4.95	<1
699-32-72A	12,800	<1	<2	<1	5,310	<125	87	8.17	332	21.7	44.4	<1
699-33-75	7,450	1.1	<2	<1	7,610	174	395.8	7.96	264	18.8	1.19	<1
699-34-61	8,620	<1	<2	<1	8,710	<131	229.4	7.93	448	18.9	4.47	<1
699-35-66A	13,300	<1	<0.08	<0.09	6,970	<9.85	323.1	7.9	402	21.1	4.36	<0.08
699-35-78A[a]	13,300	<1	<0.077	<1	8,020	269	292.2	8.04	318	19.3	27.9	<1
699-36-61A	10,600	<1	<2	<1	7,840	<131	360	7.84	407	21.3	3.57	<1
699-36-66B	21,600	<0.64	<0.08	<0.09	7,950	<9.85	355	7.82	489	21.7	1.12	<0.08
699-36-70A	14,000	<0.83	<0.08	<0.09	8,990	<9.85	421.6	7.97	390	20	4.33	<0.08
699-36-70B[a]	18,500	3.5	<1	<1	9,060	391	333.6	7.84	564	22.3	4.8	<1
699-37-66	18,100	<0.58	<0.08	<0.09	8,740	<9.85	267.5	7.8	640	21.5	0.86	<0.08
699-38-61	11,900	<1	<2	<1	8,060	<131	371	7.85	420	21	4.29	<1
699-38-65	16,600	<1	<2	<1	2,490	<131	349	8.02	695	22	24.6	<1
699-38-68A	35,800	<1	<2	<1	8,880	<125	92.4	8.1	910	17.5	20.6	<1
699-38-70B	33,000	7.3	<2	<1	9,260	<125	209	7.88	468	20.1	4.08	<1

Table 3-8. Maximum Data for the Contaminant Monitoring Well Network for Natural Attenuation Daughter Products and Field Parameters in 2013

Well	Chloride (µg/L)	Chloroform (µg/L)	Chloroethene (µg/L)	cis-1,2-Dichloro ethylene	Dissolved Oxygen	Nitrite (mg/L)	Oxidation Reduction Potential (mV)	pH Measurement	Specific Conductance (µS/cm)	Temperature (°C)	Turbidity (NTU)	Vinyl Chloride (µg/L)
699-38-70C	21,800	2.2	<2	<1	8,450	<131	351	7.53	647	21.5	1.82	<1
699-40-62	11,900	<1	<1	<1	8,430	<9.85	377.1	7.82	568	20.5	0.63	<1
699-40-65	22,600	1.1	<2	<1	8,970	<125	161	7.73	761	20.8	0.26	<1
699-43-69	26,500	6.1	<2	<1	10,500	<131	253.4	7.88	504	20.7	5.41	<1
699-44-64[a]	21,000	1.1	<0.08	<0.09	7,280	<125	157	7.85	518	21.7	1.45	<0.08
699-45-69A[a]	15,200	4.6	<1	<1	11,010	158	375.9	8.02	409	19.9	17.1	<1
699-45-69C	21,500	<1	<2	<1	8,200	<131	216	7.4	695	21.3	2.41	<1
699-47-60	9,820	<1	<2	<1	7,170	<125	54	8.18	391	17.3	6.31	<1
699-48-71	8,550	3.3	<1	<1	9,600	<125	377.8	7.87	939	17.6	4.62	<1
699-50-74	2,140	<1	<2	<1	10,790	<131	324.7	8.03	282	18.9	0.78	<1
699-51-63[a]	13,900	<0.1	<0.077	<0.087	7,830	191	162	8.09	370	20.3	0.74	<0.084

Note: The less than symbol (<) indicates that the sample result was below the listed detection limit.

a. Calendar year 2012 data; no data available for 2013.

b. Calendar year 2011 data; no data available for 2012 or 2013.

NTU = nephelometric turbidity unit